

# CITY OF LOS ANGELES

CALIFORNIA



**BOARD OF  
BUILDING AND SAFETY  
COMMISSIONERS**

EFREN ABRATIQUE, P.E.  
PRESIDENT

JAVIER NUÑEZ  
VICE-PRESIDENT

MARSHA L. BROWN

ILAN ISRAELY  
WILLIAM J. ROUSE

DEPARTMENT OF  
**BUILDING AND SAFETY**  
201 NORTH FIGUEROA STREET  
LOS ANGELES, CA 90012

ANDREW A. ADELMAN, P.E.  
GENERAL MANAGER

RAYMOND CHAN  
EXECUTIVE OFFICER

ANTONIO R. VILLARAIGOSA  
MAYOR

NUDURA Corporation  
27 Hooper Road, Unit 10  
Barrie, Ontario L4N-953

Attn: Keven Rector  
(705) 726-9499

RESEARCH REPORT: RR 25595  
(CSI # 03100)

BASED UPON ICC EVALUATION SERVICE  
LEGACY REPORT NO. ER-6163

REEVALUATION DUE DATE:  
January 1, 2007

**GENERAL APPROVAL** - NUDURA Insulated Concrete Forms (ICF) Concrete Wall System.

## DETAILS

The above products are approved under the description, identification and findings in Legacy Report No. ER-6163, dated January 1, 2005, of the ICC Evaluation Service, Incorporated. The report, in its entirety, is attached and made part of this general approval.

The parts of Report No. ER-6163 marked by the asterisk are deleted or revised by the Los Angeles Building Department from this approval.

### **The approval is subject to the following conditions:**

1. Complete design and calculation shall be prepared by an engineer licensed in the State of California and approved by the structural plan check.
2. The form work shall be used in areas where combustible material are permitted by the codes.
3. The maximum allowable pour rate of the forms shall be 4 feet per hour.
4. Continuous inspection by Deputy Inspectors shall be provided for placement of reinforcing steel and concrete. Any exception shall be approved by structural plan check supervisors.

RR 25595  
Page 1 of 2

NUDURA Corporaiton  
RE: NUDURA Insulated Concrete Forms (ICF) Concrete Wall System

## **DISCUSSION**

The approval is based on tests and analyses.

This general approval will remain effective provided the Evaluation Report is maintained valid and unrevised with the issuing organization. Any revisions to the report must be submitted to this Department, with appropriate fee, for review in order to continue the approval of the revised report.

This general approval of an equivalent alternate to the Code is only valid where an engineer and/or inspector of this Department has determined that all conditions of this Approval have been met in the project in which it is to be used.

Addressee to whom this Research Report is issued is responsible for providing copies of it, complete with any attachments indicated, to architects, engineers and builders using items approved herein in design or construction which must be approved by Department of Building and Safety Engineers and Inspectors.

YEUAN CHOU, Chief  
Engineering Research Section  
2319 Dorris Place  
Los Angeles, CA 90031  
Phone - (213) 485-2376  
Fax - (213) 847-0985

GB:elcm  
RR25446 /wp8.0  
R12/22/05  
2C/1910.10/1914.4/1921.6

Attachments: ICC Legacy Report No. ER-6163 (6 Pages).