



NUDURA 6" (152mm)
STANDARD FORM UNIT

BRICK VENEER c/w
1" (25mm) AIR
SPACE AND BRICK
TIES

WET SET DOWELS TO
WATCH VERTICAL
REINFORCEMENT
BETWEEN POUR OR
AS SPECIFIED

THROUGH WALL
FLASHING AND
WEEP HOLES AS
PER CODE OR AS
SPECIFIED

MORTAR FILL BEHIND
BRICK VENEER AS
PER CODE OR AS
SPECIFIED

NUDURA
WATERPROOFING
MEMBRANE EXTENDING
ABOVE GRADE BEHIND
BRICK TO UNDERSIDE
OF FLASHING

1/2" (13mm)
GYPSUM BOARD

HORIZ/VERT
REINFORCEMENT AS
PER CODE OR AS
SPECIFIED

RIM JOIST

WOOD
JOISTS/TJI/TRUSSES
AS SPECIFIED

JOIST HANGER

SHEAR BRACKET

SIMPSON STRONG
TIE (ICFVL)

1/2" (13mm)
GYPSUM BOARD

NUDURA 6" (152mm)
BRICK LEDGE FORM
UNIT

DISCLAIMER NOTICE:
SPECIFIC INFORMATION
REQUIRED FOR COMPLIANCE
WITH LOCAL CODES IS THE
RESPONSIBILITY OF THE
DESIGNER

THIS DETAIL IS TO BE USED ONLY AS AN
EXAMPLE OF THE POTENTIAL GRADE LEVEL
ALLOWED IN SPECIFIC GEOGRAPHICAL
LOCATIONS. GRADE LEVEL TO BE VERIFIED BY
LOCAL BUILDING CODES OR AS SPECIFIED



NUDURA 6" (152mm) FORM UNIT SIMPSON LEDGER HANGER SYSTEM BRICK VENEER FINISH GRADE AT BRICK	
REV. NO. 003 KS	DWG NO. C6A31
REV. DATE: AUGUST 2010	
DATE: T. VAN CLIEAF	SCALE: 1 : 8