

DISCLAIMER NOTICE:
 SPECIFIC INFORMATION
 REQUIRED FOR COMPLIANCE
 WITH LOCAL CODES IS THE
 RESPONSIBILITY OF THE
 DESIGNER

PRE-ENGINEERED ROOF TRUSSES
 OR RAFTERS AS PER CODE

BRICK VENEER c/w 1" (25mm)
 AIR SPACE AND BRICK TIES AS
 PER CODE

1/2" (13mm) GYPSUM BOARD

NUDURA 6" (152mm) FORM
 HORIZ/VERT REINFORCING AS
 PER CODE OR AS SPECIFIED IN
 APPENDIX 'D' FOR ABOVE GRADE

1/2" (13mm) GYPSUM BOARD

MINIMUM 6" (150mm) BELOW GRADE OF
 ACRYLIC PARGE COAT

GRADE MINIMUM 2% SLOPE

NUDURA DAMPROOFING/
 WATERPROOFING MEMBRANE


1/2" (13mm) GYPSUM BOARD

EXISTING SOIL

BACKFILL SOIL AS PER CODE

NUDURA 6" (152mm) FORM
 HORIZ/VERT REINFORCING AS
 PER CODE OR AS SPECIFIED IN
 APPENDIX 'D' FOR BELOW GRADE

CONTINUOUS 4" (100mm)
 ROUND PERFORATED DRAIN TILE
 COVERED WITH 6" (150mm)
 CRUSHED GRANULAR AS PER CODE





CONTINUOUS CONCRETE FOOTING ON UNDISTURBED SOIL AS
 PER CODE. FOOTING SIZE AS PER CODE FOR 6" (152mm)
 CONCRETE BASEMENT WALL PLUS TWO STORY MASONRY OR
 CONCRETE WALL (BRICK VENEER FINISH & PREVAILING SITE
 CONDITIONS)

*NOTE: IN ADDITION TO FOOTING SIZE INDICATED BY CODE, ADD 1" (25.4mm) WIDTH TO STRIP FOOTING FOR EVERY
 1'0" (305mm) OF CONCRETE WALL HEIGHT ABOVE 8'0" (2440mm) PER STORY

The architecture, engineering, and design of the project using the Nudura products are the responsibility of the project's design professional. All products and systems must comply with local building codes and standards. This detail is for general information and guidance only and Nudura specifically disclaims any liability for the use of this detail. The project design professional determines, in its sole discretion, whether this detail or a functionally equivalent detail is best suited for the project. This detail is subject to change without notice. Contact Nudura to ensure you have the most recent version.

Typical Cross Sections

 Nudura Technical Support: 866-468-6299 International: +1 705-726-9499	Detail: Building Section Basement 6" (152mm) Form Unit 2 Story 6" (152mm) Form Unit Brick Veneer Finish		File Name:	 Construction Products Group
	Drawn by: J.N / N.L	Scale: NTS	Date: 10/28/2021	