

FORM PANELS c/w INSERT  
WEBS—CUT TO SUIT FLOOR  
CONNECTION— ADDITIONAL  
FORM SUPPORT AS  
REQUIRED

BRICK VENEER c/w 1"  
(25mm) AIR SPACE  
AND BRICK TIES

WET SET DOWELS FIELD  
BENT INTO SLAB AS  
SPECIFIED

U BRACKET ANCHOR  
INSERT

THROUGH WALL  
FLASHING AS PER  
CODE OR AS SPECIFIED

$\frac{3}{16}$ " (5mm)  
ACRYLIC PARGE COAT

NUDURA WATERPROOF  
MEMBRANE

NUDURA 10" (254mm)  
SITE ASSEMBLED BRICK  
LEDGE FORM UNIT

HORIZ/VERT  
REINFORCEMENT AS PER  
CODE OR AS SPECIFIED

GYPSUM BOARD  
FINISHED/FIRE STOP  
INSTALLED AT JOISTS  
AS PER CODE

COMPOSITE STEEL  
DECK—SLAB AND  
REINFORCEMENT AS  
SPECIFIED

OWSJ

INTERIOR INSULATION  
REMOVED AT JOIST  
LOCATIONS

WET SET DOWELS  
TO MATCH VERTICAL  
REINFORCEMENT  
BETWEEN POURS OR  
AS SPECIFIED

$\frac{1}{2}$ " (13mm) GYPSUM  
BOARD

NUDURA 10" (254mm)  
STANDARD FORM UNIT

The architecture, engineering, and design of the project using the Nudura products are the responsibility of the project's design professional. All products and systems must comply with local building codes and standards. This detail is for general information and guidance only and Nudura specifically disclaims any liability for the use of this detail. The project design professional determines, in its sole discretion, whether this detail or a functionally equivalent detail is best suited for the project. This detail is subject to change without notice. Contact Nudura to ensure you have the most recent version.

### Non-Combustible Construction



Nudura Technical Support: 866-468-6299  
International: +1 705-726-9499

Detail: Nudura 10" (254mm) Form Unit, Composite Steel Deck-Slab,  
Steel Joist on Exterior Bearing Wall, Brick Veneer Finish

Drawn by: TVC

Scale: 1 : 8

Date: 12/21/2021

File Name:

D10C04



Construction Products Group

tremcocpg.com